



# RECESSED



# RECESSED

## 01 FAST



Code:	20.09646
Lumens:	-
Wattage:	50w / LED
CRI:	80
CCT:	3000 / 4000k
Dimensions:	85mm Diam x 90mm
Cut Out:	80mm



## 02 NICE



Code:	20.09634
Lumens:	-
Wattage:	50w / LED
CRI:	80
CCT:	3000 / 4000K
Dimensions:	85 x 85 x 90mm
Cut Out:	75 x 75mm



## 03 BOX



Code:	99.9534-3	99.9534-4
Lumens:	1200	1270
Wattage:	13.5	13.5
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	125 x 125 x 100mm	
Cut Out	95 x 95mm	



## 04 SET ROUND - SEMI RECESSED



Code:	99.9538-3	99.9538-4
Lumens:	1200	1270
Wattage:	13.5	13.5
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	80mm Dia x 45mm	
Cut Out:	70mm	



# RECESSED

## 05 T-500 SLIM



Code:	99.9463-3	99.9463-4
Lumens:	1200	1270
Wattage:	13.5	13.5
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	85 x 85 x 90mm	
Cut Out:	75 x 75mm	



## 06 T-500 FAT



Code:	99.9481-3	99.9481-4
Lumens:	1200	1270
Wattage:	13.5	13.5
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	95 x 95 x 90mm	
Cut Out:	80 x 80mm	



## 07 SPOT MINI



Code:	99.9521-3	99.9521-4
Lumens:	1200	1270
Wattage:	13.5	13.5
CRI:	90	90
CCT:	3000K	
Dimensions:	115 x 115 x 80mm	
Cut Out:	105 x 105mm	



## 08 SPOT MAXI



Code:	99.9530	99.9533
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	170 x 170 x 80mm	
Cut Out:	150 x 150mm	





# RECESSED

## 09 STUDIO DL 1400



Code:	203250	203260
Lumens:	1240	1310
Wattage:	14	14
CRI:	80	80
CCT:	3000K	4000K
Dimensions	140mm Diam x 87mm	
Cut Out:	130mm	



## 10 SARO



Code:	99.9445	99.9448
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	135mm Diam x 130mm	
Cut Out:	125mm	



## 11 TEO XL



Code:	99.9499	99.9502
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	155mm Diam x 130mm	
Cut Out:	145mm	



## 12 SQUARE I



Code:	99.9356	99.9359
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	200 x 200 x 175mm	
Cut Out:	180 x 195mm	



# RECESSED

## 13 SQUARE II



Code:	99.9374	99.9377
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	400 x 200 x 175mm	
Cut Out:	180 x 370mm	




## 15 TOLEDO I



Code:	99.9685	99.9688
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	170 x 170 x 150mm	
Cut Out:	150 x 150mm	



## 14 SQUARE III



Code:	99.9392	99.9395
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	580 x 200 x 175mm	
Dimensions:	580 x 200 x 175	



## 16 TOLEDO II



Code:	99.9697	99.9700
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	300 x 160 x 150mm	
Cut Out:	285 x 145mm	



# RECESSED

## 17 TOLEDO III



Code:	99.9709	99.9712
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	430 x 160 x 150mm	
Cut Out:	415 x 145mm	



## 18 VIP



Code:	99.9462-3	99.9462-4
Lumens:	1200	1270
Wattage:	13.5	13.5
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	135 x 120 x 110mm	
Cut Out:		



## 19 KARMA



Code:	99.9517	99.952
Lumens:	3750	4000
Wattage:	32	32
CRI:	90	90
CCT:	3000K	4000K
Dimensions:	305 x 155 x 120mm	
Cut Out:		



# RECESSED

## 20 HM



	DL-RC-HM R100 6W- 3000	DL-RC-HM R100 6W- 4000
Code:		
Lumens:	420	480
Wattage:	6	6
IP:	IP44	IP44
CCT:	3000K	4000K
Beam:	75°	
Dimensions:	110mm Diam x 61.7mm	



## 21 HM



	DL-RC-HM R120 9W- 3000	DL-RC- HM-R120 9W-4000
Code:		
Lumens:	700	800
Wattage:	9	9
IP Rating:	IP44	IP44
CCT:	3000K	4000K
Beam:	80°	
Dimensions:	130mm Diam x 69.5mm	



## 22 HM



	DL-RC- HM-R175 14W-3000	DL-RC- HM-R175 14W-4000
Code:		
Lumens:	1100	1200
Wattage:	14w	14w
IP Rating:	IP44	IP44
CCT:	3000K	4000K
Beam:	80°	
Dimensions:	185mm Diam x 90.3mm	



## 23 HM



	DL-RC- HM-R210 29W- 3000	DL-RC- HM-R210 29W- 4000
Code:		
Lumens:	2300	2500
Wattage:	29w	29w
IP Rating:	IP44	IP44
CCT:	3000K	4000K
Beam:	80°	
Dimensions:	220mm Diam x 113.3mm	





# RECESSED

## 24 HM



Code:	DL-RC-HM-R210 42W-3000	DL-RC-HM-R210 42W-4000
Lumens:	3300	3700
Wattage:	42	42
CRI:	80	80
IP Rating:	IP44	IP44
Beam:		80°
Dimensions:	220mm Diam x 113.3mm	



## 25 HR



Code:	DL-RC-HR R100 6W-3000	DL-RC-HR R100 6W-4000
Lumens:	430	480
Wattage:	6	6
CRI:	80	80
IP Rating:	IP44	IP44
Beam:		75°
Dimensions:	110mm Diam x 61.7mm	



## 26 HR



Code:	DL-RC-HR R120 9W-3000	DL-RC-HR-R120 9W-4000
Lumens:	700	750
Wattage:	9	9
CRI:	80	80
IP Rating:	IP44	IP44
Beam:		75°
Dimensions:	130mm Diam x 69.5mm	



# RECESSED

## 27 HR



Code:	DL-RC-HR-R175 14W-3000	DL-RC-HR-R175 14W-4000
Lumens:	1220	1320
Wattage:	14	14
CRI:	80	80
IP Rating:	IP44	IP44
Beam:	80°	
Dimensions:	185mm Diam x 90.3mm	



## 28 HR



Code:	DL-RC-HR-R210 29W-3000	DL-RC-HR-R210 29W-4000
Lumens:	2300	2500
Wattage:	29	29
CRI:	80	80
IP Rating:	IP44	IP44
Beam:	80°	
Dimensions:	220mm Diam x 113.3mm	



## 29 HR



Code:	DL-RC-HR-R210 42W-3000	DL-RC-HR-R210 42W-4000
Lumens:	3400	3650
Wattage:	42	42
CRI:	80	80
IP Rating:	IP44	IP44
Beam:	80°	
Dimensions:	220mm Diam x 113.3mm	

